


JUMP KING[®]

Trampolines

User Guide



40in Fitness Trampoline

Model# JK40BR

The trampoline is designed for users weighing 150kg (300lbs) or less.



WARNING: Read these assembly instructions carefully before attempting to assemble or use this product. Keep this user guide in a safe place for future reference.

YJ USA Corp.,
3970 Lindbergh Drive
Addison, TX 75001

Please contact us at
www.jumpking.com
contact@jumpking.com

YJ Europe Ltd
Unit 3/3a Farthing Road Industrial Estate,
Ipswich, Suffolk, IP1 5AP

Please contact us at
www.jumpking.eu
customerservice@yj europe.co.uk

JUMP KING® Trampolines

40in Fitness Trampoline

Model# JK40BRS

QUESTIONS?

If you have questions after reading this manual, please email us at contact@jumpking.com for USA market and customerservice@yjeurope.co.uk for UK market. Trained technicians will provide immediate assistance.


REPLACEMENT PARTS

To order replacement parts, please visit our website at www.jumpking.com for USA market and www.jumpking.eu for UK market.

More detailed instructions on assembling your trampoline will be available on www.jumpking.com and www.jumpking.eu in the Manual and Assembly section.

CONTENTS

IMPORTANT PRECAUTIONS	3
PART LIST	5
ASSEMBLY	6
CARE AND MAINTENANCE	13



IMPORTANT PRECAUTIONS

⚠ WARNING: To reduce the risk of serious injury, read and follow all warnings, precautions, and instructions in this manual before assembling and using the trampoline.

This product is intended for use by adults for fitness.

Read and follow all warnings and instruction.

This product is intended to be assembled by an adult.


Maximum weight limited 150 kg / 300 lbs.

Warning! Not suitable for children under 36 months. Small parts and long cords may be a choking and strangulation hazard.


BUILDING YOUR TRAMPOLINE

1. This is a 2 person build.
2. Time for build is approximately 1 hour.


WHAT YOU WILL NEED



Description:
Gloves












Description:
Safety glasses



Description:
Mallet


PARTS LIST

<p>Part A</p>  <p>Description: T-connector and Top rail with Foldable leg</p> <p>Part number: JK40-TRTCL Quantity: 5</p>	<p>Part B</p>  <p>Description: T-connector + welded tube and Top rail with Foldable leg</p> <p>Part number: JK40-TRTCWSL Quantity: 1</p>	<p>Part C</p>  <p>Description: Handle Straight pole</p> <p>Part number: JK40-HSP Quantity: 1</p>	<p>Part D</p>  <p>Description: Top handle pole</p> <p>Part number: JK40-HTP Quantity: 1</p>	<p>Part E</p>  <p>Description: Plastic head screw</p> <p>Part number: JK40-PS Quantity: 2</p>
<p>Part F</p>  <p>Description: Jumping mat</p> <p>Part number: BED4036-3.5 Quantity: 1</p>	<p>Part G</p>  <p>Description: Spring</p> <p>Part number: SP3.5 Quantity: 36</p>	<p>Part H</p>  <p>Description: Spring Pulling Tool</p> <p>Part number: HWSPT Quantity: 1</p>	<p>Part I</p>  <p>Description: User Manual</p> <p>Quantity: 1</p>	


STEP 1 : ASSEMBLING THE FRAME

Lay out the Top rails and legs frame parts in groups:

- 1) T-connector and Top rail with Foldable leg part A: 5 pcs,
- 2) T-connector + Welded tube and Top rail with Foldable legs part B: 1 pc,






Insert the leg to the T-connector.




Connect the top rails together.

a)





f) Apply downward pressure to help align the top rail, allowing one end to slide securely into the T-connector.





STEP 2: ASSEMBLING THE JUMPING MAT

Lay out the jumping mat part F: 1 pc,
Spring Part G: 36 pcs,
Spring pulling tool Part H: 1 pc.





Lay out the jumping mat into trampoline. During this step, keep the trampoline upside down as shown in below diagram.

Note: Please make sure the jumping mat V-rings are facing up, ORANGE strap is facing down.




Underneath
of jumping mat




Slot one of the springs onto one of the V-ring
as shown.

Important: springs must be slotted on the right way
around.



Slot the other end of the spring into one of the spring slots in the top of the frame.

IMPORTANT: Ensure the spring is fully inserted into the slot on the top of the frame.







Important: You will now need to use the spring tool **part H** to attach the spring to the frame.


Hook the spring tool onto end of spring, and pull until the spring can be slotted into the spring slot on the top of the frame.

IMPORTANT: Ensure the spring is fully inserted into the slot on the top of the frame.

Follow the diagram below to attach the springs around the frame until all 36 springs are used.




STEP 3: ASSEMBLING THE JUMPING MAT ELASTIC STRAPS



Pull the elastic straps with plastic hook on surrounding of edge of jumping mat to fix on underneath of V-rings.

Elastic straps with plastic hook





V-ring


STEP 4: ASSEMBLING THE HANDLE BAR

Lay out the handle bar tubing


- 1) Handle Straight Pole Part C: 1 pc,
- 2) Top Handle Pole Part D: 1 pc,
- 3) Plastic Head Screw Part E: 2 pcs.



Insert the Handle Straight Pole Part C to the T-connector with welded tube Part B




Insert the Top Handle Pole Part D to the Straight Handle Pole Part C.



Adjust to appropriate height of handle then use the Plastic Head Screw Part E to fit the handle frame.

The trampoline is completed!!

STEP 5: REMOVING AND STORING




To remove and store when not in use:

- 1) Unscrew the Plastic Head Screw, then pull up the Handle.




- 2) Pull the leg frame and fold to left side.



- 3) Use the elastic strap with plastic hook to fix the leg frame.

So that you can store into any narrow space or underneath sofa or bed



CARE AND MAINTENANCE

Care

Do not allow pets or animals on the trampoline as claws may snag and pull the bed material or damage the frame pad

The trampoline is intended to be used by one person at a time weighing 150 kg (300 lbs) or less.

The user should be either barefoot or wearing socks. Street shoes or tennis shoes should not be worn on the trampoline. The user should remove all sharp objects from his or her person that may cause injury or damage to the bed. Heavy, sharp, or pointed hard objects should not contact the bed.

Maintenance

Your trampoline is manufactured using quality materials and crafted to provide your children with many years of enjoyment. Proper maintenance and care will help to prolong the life of the trampoline and reduce the possibility of injury.

Prolonged exposure to the sun, will shorten the life of the trampoline fabric. For longer fabric life store the trampoline when it is not being used.

A dry trampoline, properly stored, will provide the longest life of the fabric, sewing, and hardware.

The following guidelines should always be observed. Inspect the trampoline before each use and replace any worn, damaged, or missing parts.

The following conditions could represent potential hazards and increase the chance of personal injury:

- a missing, improperly positioned, or insecurely attached frame pad, foam sleeves.

- punctures, frays, tears, or holes worn in the bed, frame pad, foam sleeves.

- deterioration in the stitching or fabric of the bed, frame pad.

- broken or missing elastic rope.

- a bent or broken frame, leg.

- a sagging bed.

- sharp protrusions on the frame, suspension system.

If any of these conditions exist, the trampoline should be disassembled or otherwise protected against use until the condition is corrected.

Removing and storing the trampoline

Make sure that the trampoline is dry before removing and storing it. Use caution while removing the tubes due to the weight of the tubes.

To disassemble the trampoline, follow the assembly steps in reverse order (see pages 6 to 11). Do not attempt to disassemble the frame sections, legs or bases before the bed and elastic ropes have been removed.