

User's Manual

ASSEMBLY, SAFETY, CARE AND MAINTENANCE, PLACEMENT, USE, AND INSTRUCTIONAL MATERIALS ENCLOSED.

READ THIS MANUAL AND ALL MATERIALS FURNISHED WITH THE TRAMPOLINE THOROUGHLY BEFORE ASSEMBLING OR ALLOWING ANY PERSON TO USE THE TRAMPOLINE. RETAIN THIS MANUAL FOR FUTURE REFERENCE.

⚠ WARNING



Do not land on head or neck.

Paralysis or death can result, even if you land in the middle of the trampoline mat (bed).

To reduce the chance of landing on your head or neck, do not do somersaults (flips).



Only one person at a time on the trampoline.

Multiple jumpers increase the chances of loss of control, collision, and falling off.

This can result in broken head, neck, back, or leg.

Revised 7/02 #014702

COPYRIGHT © 7/95

Table of Contents

Content	Page
Warranty Information	3
Before You Begin	4
Trampoline Safety Information	5
Accident Classification	5
Methods of Accident Prevention	5
Trampoline Safety Instructions	6
Use and Instructional Material	7
Overview of Trampoline Use	7
Instruction Program - Model Lessons	8
Basic Trampoline Skills	9
Placement and Assembly Instructions	13
Special Considerations - Wind, Moving	13
Care and Maintenance	18
Ordering Replacement Parts	19
Exploded Drawing and Parts List	20
Order Form	21
Notes (for your records)	22
Additional Notes	23



READ THIS MANUAL

All Jumpking trampolines come equipped with important information regarding proper assembly, usage and safety procedures. This information must be read by all supervisors and trampoline users before allowing any person to jump on a trampoline.

WARRANTY INFORMATION

Jumpking, Inc. Limited Trampoline Warranty

Jumpking, Inc. (Jumpking) warrants its trampoline products to be free from defects in material and workmanship under normal use and service conditions. The various component parts of the trampoline are warranted against defects and workmanship as follows:

- A. Steel frame ten (10) years;
- B. Sewing on stitched jumping mat (bed) two (2) years;
- C. Stitched or stitchless jumping mat (bed) is warranted one hundred percent (100%) the first year, fifty percent (50%) for the second year, thirty-five percent (35%) for the third year, twenty percent (20%) for the fourth year, and ten percent (10%) during the fifth year;
- D. Frame pads and springs six (6) months.

All warranty coverage extends only to the original retail purchaser from the date of purchase. Jumpking's obligation under this Warranty is limited to replacing or repairing, at Jumpking's option, the product at one of its authorized service centers. All products for which a warranty claim is made must be received by Jumpking at one of its authorized service centers, freight prepaid, and accompanied by sufficient proof of purchase. All returns must be preauthorized by Jumpking. Preauthorization may be obtained by calling Jumpking's Customer Service Department at 1-800-322-2211. This Warranty does not extend to any product or damage to a product caused by or attributable to freight damage, abuse, misuse, improper or abnormal usage, or repairs not provided by a Jumpking authorized service center or for products used for commercial or rental purposes. No other Warranty beyond that specifically set forth above is authorized by Jumpking.

JUMPKING IS NOT RESPONSIBLE OR LIABLE FOR INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE PRODUCT OR OTHER DAMAGES WITH RESPECT TO ANY ECONOMIC LOSS, LOSS OF PROPERTY, LOSS OF REVENUE OR PROFITS, LOSS OF ENJOYMENT OR USE, COST OF REMOVAL, INSTALLATION OR OTHER CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

THE WARRANTY EXTENDED HEREUNDER IS IN LIEU OF ALL OTHER WARRANTIES AND ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN ITS SCOPE AND DURATION TO THE TERMS SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

This warranty gives you specific legal rights. You may also have other rights which vary from state to state.

Copyright © 4/95 Jumpking, Inc.

BEFORE YOU BEGIN



Thank you for selecting a Jumpking Trampoline.

The Jumpking Trampoline is designed and crafted to provide you and your family with many years of fun and fitness.



For your benefit and safety, read this manual carefully before using this trampoline. Refer to page 20 for a description and assembly location of trampoline parts and accessories that are described in this manual. If you have additional questions, please call our Customer Service Department, toll-free, at 1-800-322-2211, Monday through Friday, 8 a.m. until 5 p.m. Central Time (excluding holidays).

Read the warning information on this page and fill out the attached warranty card. Mail the card to JUMPKING. No Postage is required.

⚠ WARNING



Do not land on head or neck.

Paralysis or death can result, even if you land in the middle of the trampoline mat (bed).

To reduce the chance of landing on your head or neck, do not do somersaulys (flips).



Only one person at a time on the trampoline.

Multiple jumpers increase the chances of loss of control, collision, and falling off.

This can result in broken head, neck, back, or leg.

Misuse and abuse of this trampoline is dangerous and can cause serious injuries.

Trampolines are **rebounding** devices which **propel** the performer to **unaccustomed** heights, and into a variety of body movements. Rebounding off of the trampoline, striking the frame or springs, or improperly landing on the trampoline mat (bed) may cause injury.

Read all instructions thoroughly before using this trampoline, or allowing its use by any person.

Inspect the trampoline before each use, and replace any worn, defective or missing parts.

All purchasers and all persons using the trampoline must become **familiar** with the manufacturer's recommendations for the proper assembly, use and care of the trampoline. Each user must also be alert to his or her own limitations in the execution of trampoline skills. Assembly instructions, selected precautions, recommended instructional techniques and progressions, and suggestions for the care and maintenance of the trampoline are included in this user's manual to promote safe, enjoyable use of this equipment.

It is the **responsibility** of the owner or trampoline supervisor to **insure** that all users of this trampoline are adequately informed of all warnings and safety instructions.

TRAMPOLINE SAFETY INFORMATION

Need for Trampoline Safety

In trampoline use, as with all active recreational sports, participants can be injured. There are steps you can take to reduce the risk of injury. In this section (continued on the next page), the primary accident patterns have been identified and the responsibilities of the supervisors and the jumpers in accident prevention are described.

Accident Classification

Somersaults (flips): Landing on your head or neck, even in the middle of a trampoline mat (bed), increases the risk of a broken back or neck, which can result in paralysis or death. Such events can occur when a jumper makes an error trying to perform a forward or backward somersault (flip). Do not do somersaults (flips) on this backyard trampoline.

Multiple Jumpers: More than one jumper on the trampoline increases the chance of someone becoming injured by losing control of their jump. Jumpers may collide with one another, fall off the trampoline, fall on or through the springs, or land incorrectly on the mat (bed). The lightest weight jumper is the most likely to be injured.

Mounting and Dismounting: The trampoline mat (bed) is several feet from ground level. Jumping off the trampoline to the ground or any other surface may result in injury. Jumping onto the trampoline from a roof, deck, or other object also represents a risk of injury. Smaller children may need assistance getting up on or down from the trampoline. Climb carefully on and off the trampoline. Do not step onto the springs or the frame pad. Do not grasp the frame pad to pull yourself onto the trampoline.

Striking Frame or Springs: Injury may result from encountering the frame or falling through the springs while jumping or getting on or off the trampoline. Stay in the center of the trampoline mat (bed) when jumping. Be sure to keep the frame pad in place to cover the frame. The frame pad is not designed nor intended to support the weight of the trampoline user. Do not step or jump directly onto the frame pad.

Loss of Control: Jumpers who lose control of their jump may land on the mat (bed) incorrectly, land on the frame or springs, or fall off the trampoline. A controlled jump is one where the landing is in the same spot as the take off. Before learning a more difficult maneuver, the preceding one should be performed consistently under control. Attempting a maneuver beyond present skill levels increases the chance of loss of control. To regain control and stop your jump, bend your knees sharply when you land.

Alcohol or Drug Use: The chance of injury increases when a jumper has consumed alcohol or taken drugs. These substances impair a person's reaction time, judgment, and physical coordination.

Encountering Objects: Use of a trampoline while other people, pets, or objects are underneath it will increase the ance of injury. Jumping while holding or having an object on the trampoline, particularly one that is sharp or breakle, will increase the chance of injury. Placing a trampoline too close to overhead electrical wires, tree limbs, or other obstructions can increase the chance of injury.

Poor Maintenance of Trampoline: Jumpers may be injured if a trampoline is used when it is in poor condition. A torn mat (bed), bent frame, broken spring, or a missing frame pad, for example should be replaced before anyone is allowed to jump. Inspect the trampoline before each use.

Weather Conditions: A wet trampoline mat (bed) is too slippery for safe jumping. Gusty or severe winds can cause jumpers to lose control. To reduce the chance of injury, use the trampoline only under appropriate weather conditions.

Limiting Access: To prevent access to the trampoline by unsupervised small children the access ladder should always be removed and stored in a secure location when the trampoline is not in use.

Methods of Accident Prevention

Jumper's Role in Preventing Accidents: Education on the part of the user is a must for safety. Users must first learn a, low controlled bounce and then learn the basic landing positions and combinations before proceeding to intermediate skills. Jumpers must understand why they have to master "control" before they can start thinking about other moves. Understanding the proper progression of skills in jumping on a trampoline must be the first lesson. Review the user's manual to learn about the basic techniques for using the trampoline. Follow the rules on the placard that presents Trampoline Safety Instructions. For further information or additional instructional materials, contact a certified trampoline instructor.

Supervisors Role in Preventing Accidents: It is the responsibility of the supervisors of trampoline users to provide knowledgeable and mature supervision. They need to know and enforce all the rules and warnings set forth in this manual in order to minimize the likelihood of accidents and injuries and to inform users of these rules. During periods of time when supervision is unavailable or inadequate, this may require that the trampoline be disassembled, placed in a secure area, or otherwise secured against unauthorized use. Another option which may be considered is covering the trampoline with a heavy tarp, which can be secured with lock s and chains. It is the responsibility of the supervisor to be sure that the placard with the Trampoline Safety Instructions is kept posted on the trampoline and that jumpers are informed about these instructions.

TRAMPOLINE SAFETY INSTRUCTIONS

⚠ WARNING



Do not land on head or neck.

Paralysis or death can result, even if you land in the middle of the trampoline mat (bed).

To reduce the chance of landing on your head or neck, do not do somersaults (flips).



Only one person at a time on the trampoline.

Multiple jumpers increase the chances of loss of control, collision, and falling off

This can result in broken head, neck, back, or leg.

For the Supervisor

Enforce all of the safety rules and be familiar with the information in the User's Manual to help new users learn basic jumps and all users to follow trampoline safety.

All trampoline users must have someone watch them, regardless of the skill or age of the jumper.

Use only when the trampoline mat (bed) is clean and dry. A worn or damaged mat (bed) should be replaced immediately

Secure the trampoline against unauthorized and unsupervised use.

For the Jumper

Do not use the trampoline when under the influence of drugs or alcohol.

Jumping

Learn fundamental jumps and body positions thoroughly before trying more advanced skills. Review the User's Manual to learn about how to do basic jumps.

Stop your bounce by flexing your knees as your feet come in contact with the trampoline mat (bed).

Avoid jumping too high or for too long. Always control your jump. A controlled jump is one where the take off and land spots are the same.

Focus your eyes on the trampoline mat (bed). Failure to do so may result in a loss of balance and control.

Take turns jumping one at a time, and always have someone watch you.

Getting on and off

Climb on and off the trampoline. Do not jump on or off. Do not use the trampoline as a springboard to other objects.

For further information or additional instructional materials, contact a certified trampoline instructor.

Use and Instructional Material

Overview of Trampoline Use

The first periods of trampoline use should focus on learning fundamental body positions and practicing the eight basic bounces that are described in this manual.

During this learning period, jumpers should **practice these basic techniques** and **perfect them**. **Braking**, **or checking the bounce** should be taught first and stressed as a safety measure. Jumpers should brake their jump whenever they start to lose balance or control. This is done by simply **flexing the knees sharply** upon landing and absorbing the upward thrust of the mat (bed). This enables the jumper to stop suddenly and avoid losing control.

In trampoline use, the **take-off point and landing point of a good, controlled jump is on the same spot**. An exercise is considered learned only when a jumper is able to perform it consistently. Jumpers should never proceed to any advanced step until they can perform all previous techniques consistently.

Allow each jumper a **brief turn on the trampoline**. Extended bouncing exposes an over tired user to an increased risk of injury. Longer turns tend to lessen the interest of others waiting to jump.

Jearing apparel should consist of T-shirt, shorts and regulation gymnastic shoes, heavy socks, or jumpers may be barefoot. **Beginning jumpers** may wish to wear loose fitting protective clothing such as a **long sleeve shirt and pants** until correct landings are mastered. This will reduce the chance of mat (bed) burns from improper landings on elbows and knees. No hard sole shoes should be worn as they cause excessive wear on the trampoline mat (bed).

Mounting and dismounting properly should be a strict rule from the very beginning. Users climb onto the trampoline by placing their hands on the frame and stepping or rolling up onto the frame, across the springs, and onto the mat (bed). Do not step directly on the frame pad or grasp the frame pad when mounting or dismounting the trampoline. Users should always place their hands on the frame while mounting or dismounting. To dismount, jumpers should walk to the side of the mat (bed), bend over and place one hand on the frame, then step from the mat to the ground. If you have installed the optional ladder, then its rungs can be used to mount or dismount. Always face the ladder and always place your hands on the frame. Make sure your foot has secure contact with the ladder rung when using it.

Reckless bouncing should not be permitted. All skills should be learned at **moderate heights**. Control rather than height, should be emphasized. Jumpers should be **forbidden to practice alone** and unsupervised.

Instruction Program - Model Lessons

The following lessons are suggested as examples of instructional procedure. They should follow a complete discussion and demonstration of body mechanics between the supervisor and the student(s).

LESSON No. 1

- Mounting and dismounting.
 Demonstration and practice of proper techniques.
- Fundamental bouncing. Demonstration and practice.
- Braking (checking bounce).
 Demonstration and practice, braking on command.
- Hands and knees.
 Demonstration and practice, stressing four-point landing and alignment.

LESSON No. 2

- 1. Review and practice of techniques.
- Knee bounce.
 Half twist to right, to left, to feet, to knees.
- Seat-drop.
 Repeat in swing.
 Half twist to feet.
 Seat-drop, knees, hands and knees; repeat.

LESSON No. 3

- 1. Review and practice of skills previously learned.
- Front-drop.
 To save time and avoid mat burns, all members of the class should be requested to assume the frontdrop position on the floor while the instructor checks for faults. Suggested progression: From hands and knees bounce, the body is extended for the landing in front drop position, and the rebound is made to feet.
- Practice routine; hands and knees, front-drop, feet, seat-drop, half twist to feet.

LESSON NO. 4

- Review and practice of learned skills.
 - Demonstration, accenting the forward thrust of the hips by arching body as one leg is brought forward from standing (not bouncing) position, and the drop to the back is made with chin held forward to chest, eyes forward on trampoline frame. Spotting this skill is most important. Demonstration of back-drop with low bounce and practice on both techniques.

LESSON NO. 5

- Review of all skills learned, encouraging original routines based upon them.
- Half turntable. Start from front drop position and push left or right with hands. Turn head and shoulders in same direction. Keep back parallel to mat and head up. After completing 1/2 turn land in front drop position.

LESSON NO. 6

- Swivel-hips.
 Suggested progression:
 Seat-drop, feet, half twist; repeat.
 Seat-drop, half twist to feet; repeat.
 Seat drop, half twist to seat drop.
- 2. Half turntable.

LESSON NO. 7

The student should now be encouraged to design and organize routines with emphasis on good form. The instructor may judge or grade the students and arrange groupings for further instruction accordingly.

To stimulate interest in competition, the game of "Trampoline Horse" may be introduced. It is played in the following manner: The students number off and No. 1 performs a stunt. No. 2 mounts the trampoline and performs the same stunt and adds another one. No. 3 mounts and does stunts 1 and 2 and adds another one himself. Thus, it becomes a continually lengthening series of stunts in routine. The first person who misses a stunt in the series assumes the letter "H," and starts the series over again with the first stunt. If a person misses again, he accumulates "O" and the first one to accumulate H-O-R-S-E is eliminated from the game. The last remaining contestant is the winner.

Lesson planning from this point should be facilitated by contacting a certified trampoline instructor.


BASIC TRAMPOLINE SKILLS

FUNDAMENTAL BOUNCE

- 1. Start from standing position with head erect and eyes on mat.
- 2. Swing arms forward and up in a circular motion.
- 3. Bring feet together and point toes downward while in the air.
- 4. Keep feet about 15 inches apart when landing on mat.







HAND AND KNEE DROP

- 1. Start from erect position keeping eyes on mat.
- 2. Land on mat on hands and knees.
- 3. Push with hands and come back up to erect position.







KNEE DROP

- 1. Start from low bounce.
- 2. Land on knees keeping back straight and body erect.
- 3. Come back up to erect position.














SEAT DROP

- 1. Land in a flat sitting position.
- 2. Place hands on mat beside hips.
- 3. Push with hands when returning to erect position.



FRONT DROP

- 1. Start from low bounce and land on mat in prone position.
- 2. Keep head up and arms extended forward on mat.
- 3. Push with arms to return to standing position.

BACK DROP

- 1. Start with low bounce and land on back.
- 2. Keep chin forward on chest during landing.
- 3. Kick forward and up with legs when returning to erect position.







HALF TURNTABLE

- 1. Start from front drop position and push left or right with hands.
- 2. Keep head and shoulders in same direction.
- 3. Keep back parallel to mat and head up.
- 4. After completing 1/2 turn, land in front drop position.








SWIVEL HIPS

- 1. Start with seat drop.
- 2. Turn head and throw arms up and to left or right.
- 3. Hips turn in same direction completing twist.
- 4. Land in seat drop position.





TRAMPOLINE PLACEMENT


A minimum of 24 feet (7.3 meters) of **overhead clearance** is required. Adequate **horizontal clearance** must be maintained from objects and possible hazards including electric power wiring, tree limbs, recreational structures (swing-sets, swimming pools), and fences.

The trampoline must be placed on a level surface before use.

The trampoline must always be used in a well-lighted area.

There must be no obstructions beneath the trampoline.

Do not place the trampoline near any other recreational devices or structures such as a swimming pool or swing-set.



le

ASSEMBLY INSTRUCTIONS

This trampoline does not require any tools to assemble. It can easily be disassembled for compact and convenient storage during periods of nonuse. Read the assembly instructions before beginning assembling the trampoline.

Before assembling:

The assembly instructions reference parts by name and by part number. Please refer to Page 20 for part descriptions and numbers.

Make sure that all parts listed in the parts list are included.

Refer to page 19 for instructions on how to obtain missing parts.

Use gloves to protect your hands from pinch points during assembly and disassembly.

ASSEMBLY STEPS

Read through all assembly steps carefully before beginning the assembly process. Refer to drawings for clarification. No

Step 1:

additional tools are required for assembly. Use gloves during the assembly procedure.

Lay out all frame sections in a circle (See Fig. 1).

The frame sections consist of 4 components:

Top rail - 4 pieces

(part no. JKTR14TR)

Top rail with leg sockets - 4 pieces

(part no. JKTR14TRS)

Leg base - 4 pieces

(part no. JKTR14L)

Vertical leg extension - 8 pieces

(part no. JKTR14LE)

These are all interchangeable and have no "left hand" or "right hand" orientation. All connections consist of sliding a section tube end into a slightly larger tube end on the adjacent section. These are called **slip joints**.




FIGURE 1

Step 2:

Place all vertical leg extensions on the leg bases (See Fig. 2). This is now called the support assembly.




FIGURE 2

Step 3:

At this point, you will need someone to assist you with the next phase of the frame assembly. One person lifts the **support assembly** shown in Fig. 2 (vertical leg extensions, leg base) to a vertical position and inserts the socket of a top rail with leg socket over the vertical leg extension on one side. The other person then similarly attaches an adjacent support assembly at the other end of the top rail with leg sockets. You should now have two support assemblies joined by a single top rail with sockets. Each leg socket should have a vertical leg extension inserted in it. Continue working sequentially around the circle, connecting top rails with leg sockets to support assemblies until this portion of the frame assembly is free standing (See Fig. 3).




FIGURE 3

Step 4:

Now install the remaining four (4) top rails in the gaps between the four (4) top rails with sockets. Slide each top rail into the joints at both ends of the gap (See Fig. 4). This completes the frame assembly.

MOVING the TRAMPOLINE

"If ou need to periodically move your trampoline all slip joints should be secured with a weather resistant tape (i.e. duct tape). This will keep the frame intact and prevent the tubular elements from separating during the move. The trampoline should be moved by at least two people, kept horizontal, and lifted slightly. Disassemble the trampoline for any other type movement.




FIGURE 4

Step 5:

It is best to use a spring as a pull tool to pull and attach the springs (part no. JKTR14S) from the "V" ring on the bed (mat) to the frame holes. Using your hand can lead to getting "pinched" and also doesn't properly tension the spring. Attach the spring to the "V" ring and using the "pull tool" spring, pull the attachment spring to the frame by inter-connecting spring hooks and pulling with one hand. When the attachment spring hook reaches the frame, use your other hand to push it into the frame hole while disengaging the "pull tool" (See Fig. 5).




FIGURE 5

Step 6:

Lay the jumping mat (bed) (part number JKTR14B) inside the frame. Springs are used to support the mat (bed) and are connected between "V" rings on the mat (bed) and holes in the top frame rail. There are 96 "V" rings on the mat (bed) that have to line up with corresponding holes on the top frame rail. These are not numbered. To make sure they eventually all line up, pick an arbitrary point and call it **zero** or 12 o'clock. Connect a spring between the "V" ring and the frame hole at this point (See Fig. 6).




FIGURE 6

Step 7:

Now count 24 holes and "V" rings in a clockwise direction. Attach a spring. You should be at hole 24 or 3 o'clock. Count another 24 holes and "V" rings in a clockwise direction. Attach a spring. You should be at hole 48 or 6 o'clock. Count another 24 holes and "V" rings clockwise and attach a spring. You should be at hole 72 or 9 o'clock. At this point, you should have 4 springs installed at 12, 3, 6, and 9 o'clock (See Fig. 7). This equal tension procedure is essential to properly attach the mat (bed) to the frame.




FIGURE.7

Step 8:

To install the rest of the springs, follow the above procedures in the following steps:

a.Attach springs every 12 holes/"V" rings (springs now at 12, 36, 60, 84). b.Attach springs every 6 holes/"V" rings (springs now at 6, 18, 30, 42, 54, 66, 78, 90). c.Attach springs every 3 holes/ "V" rings (springs now at 3, 9, 15, 21, 27, 33, 39, 45, 51, 57, 63, 69, 75, 81, 87, 93). d.Attach spring every 2 holes/"V" rings. e.Attach the remaining springs.

As you go through the above procedure, make sure you haven't skipped a hole/"V" ring alignment. If this happens, recount and remove/reattach springs as required to reestablish the proper alignment.

Caution:

As you perform the spring attachment procedure, be aware that frame member slip joints can become "pinch" points. Be careful how you place your hands in these areas.

Step 9:

Now attach the safety instruction placard using the alosed tie wrap. Place it at the point where you place it at the point where you should go around a vertical frame joint and a top rail to keep it from moving laterally (See Figure 8).

Step 10:

Lay the one-piece frame pad (part number JKTR14PAB) on the trampoline so it covers the frame and springs. Make sure the pad completely covers the frame. The pad has eight (8) sets of attachment straps. Using the plastic strap buckles and following the instructions enclosed with them, buckle one set of straps around the top frame rail at an initial spot which is designated 12 o'clock. Next buckle the straps at 3 o'clock, 6 o'clock, and 9 o'clock. Now buckle the four remaining sets of straps in a sequential clockwise fashion. Do not tighten and final-secure the buckles until the pad is equally positioned and tensioned.

Step 11:

Weather Cover: This cover should be placed over the bed and frame pad when the trampoline is not in use. Use the attached tie-down straps to secure the cover to the frame. Tie around the top rail and a vertical leg extension joint so the cover will maintain its tension.

Step 12:

Access ladder: Hook the ladder over a top frame rail/ vertical leg extension joint area. This should be at the normal access point. When the trampoline is not in use, remove the ladder and store in a secure location (See Figure 8).




FIGURE 8

ASSEMBLY IS NOW COMPLETE.

Make sure that all parts are securely assembled. Familiarize yourself and all users of the trampoline with the care and maintenance instructions, use and instructional materials, and warranty and safety precautions contained in this manual before using the trampoline.

DISASSEMBLY

To disassemble, follow the assembly steps in reverse order. Do not attempt to disassemble any frame components before the mat (bed) and springs have been removed.

CAUTION: Use of this trampoline is not recommended without the frame pad, which is designed to reduce the likelihood of injury to the user from coming into contact with the frame of the trampoline. If you do not have a frame pad, contact your dealer to obtain a frame pad. Properly install the frame pad before using the trampoline.

CARE AND MAINTENANCE

CARE

Do not allow family pets on the trampoline, as claws may snag and pull the mat (bed) material or damage the frame pad.

The trampoline is intended to be used by **one person at a time**, weighing less than 275 pounds. The user should be either barefoot, in socks, or wearing gymnastic shoes. Street shoes or tennis shoes should not be worn on the trampoline. The user should remove all sharp objects from their person which may cause injury or damage to the trampoline mat (bed). Heavy, sharp or pointed hard objects should not contact the mat (bed) surface.

MAINTENANCE

Your trampoline is manufactured using quality materials and is finely-crafted to provide you and your family with many years of enjoyment and exercise. Proper maintenance and care will help to prolong the life of the trampoline and reduce the possibility of injury. The following guidelines should always be observed.

Inspect the trampoline before each use, and replace any worn, defective or missing parts. The following conditions present potential hazards and increase the danger of personal injury:

- a. Punctures, holes or tears in the trampoline mat (bed).
- b. Deterioration in any stitching of the mat (bed).
- c. Bent or broken frame or legs.
- d. Broken or missing springs.
- e. Missing or insecurely attached frame pad.
- f. Sagging jumping mat (bed).
- g. Sharp protrusions on the frame or suspension system.

IF ANY OF THESE CONDITIONS EXIST, THE TRAMPOLINE SHOULD BE DISASSEMBLED OR OTHERWISE PROTECTED AGAINST USE UNTIL THE CONDITION IS REMEDIED.

SPECIAL CONSIDERATIONS

WIND


It is possible for the trampoline to be blown about by a high wind. If you anticipate high winds, the trampoline should be moved to a sheltered location, disassembled, or the round outside portion (top frame) should be tied to the ground using rope and stakes. At least three tie-downs should be used. Do not simply secure the legs to the ground, as they can pull out of the frame sockets.

Three point tie-down using rope

and tent stakes.

MOVING the TRAMPOLINE


If you need to periodically move your trampoline all slip joints should be wrapped (secured) with a weather resistant tape (i.e. duct tape). This will keep the frame intact and prevent the tubular elements from separating during the move. The trampoline should be moved by at least two people, **kept horizontal and lifted slightly to move**. Disassemble the trampoline for any other type movement (see disassembly instructions on page 17).




ORDERING REPLACEMENT PARTS


Replacement parts can be ordered by calling our Customer Service Department, toll-free, at 1-800-322-2211, Monday through Friday, 8 a.m. until 5 p.m. Central Time (excluding holidays). When ordering parts, please be prepared to give the following information:

- The NAME and MODEL NUMBER OF THE PRODUCT (Jumpking trampoline).
- 2. The PART NUMBER (from page 20) .
- 3. The **DESCRIPTION** of the part (from page 20).
- 4. Quantity needed.
- 5. How to ship.





Exploded Drawing and Part List for Model JKTR14AB, Back Yard Round 14' Diameter Trampoline.



Replacement Parts

Part Number	Needed Quantity	<u>Description</u>	Drawing Reference <u>Number</u>		
JKTR14B JKTR14PAB JKTR14S JKTR14TRS JKTR14TR JKTR14TL JKTR14LE JKTR14LE JKTR14LE JKTR14LE JTL2	(1) (1) (96) (4) (4) (4) (8) (1) (1) (1)	12' dia. bed stitched with 96 V-rings 13" wide frame pad set of 96 8-1/2" galvanized springs top rail with leg sockets top rail leg base vertical leg extension weather cover access ladder (2 step) safety instruction placard with tie wrap	(1) (2) (3) (4) (5) (6) (7) (a) (b) (8)		
(a) see page 17 for	r description	(b) see page 17 for illustration			
The following items are not illustrated:					
	(8) (1)	plastic buckles with instructions owner's manual			
Optional Accessories (not illustrated):					

12' dia. stitchless bed with 96 clamps


JKTR14BC

(1)

NOTES

For your records:					
Safety:			·		
				·	
				,	
Assembly:					
					•
Parts:					
, uto.			•	**	
	.*	-			
Other:		·			

ADDITIONAL NOTES





Jumpking, Inc. 1371 South Town East Blvd. Mesquite, TX 75149 800-322-2211

As a manufacturer, we are committed to providing you complete customer satisfaction. If you have questions about this product, or find there are missing or damaged parts, we guarantee you complete satisfaction through direct assistance from our factory. TO AVOID UNNECESSARY DELAYS, PLEASE CALL DIRECT TO OUR TOLL-FREE CUSTOMER "HOT LINE". Let the trained technicians on our Customer "Hot Line" provide immediate assistance, free of charge to you. Customer "Hot Line": 1-800-322-2211, Monday-Friday, 8 a.m. - 5 p.m. CST (excluding holidays).

Copyright © 7/95 Jumpking, Inc.