12 FT TRAMPOLINE WITH ENCLOSURE

Assembly, Installation, Care, Maintenance, and Use Instructions

USER'S MANUAL BS12PRO



A WARNING

- Read these assembly instructions carefully before attempting to assemble or use this product. Keep this user guide in a safe place for future reference.
- The trampoline / enclosure is designed for users weighing 200lbs / 90kg or less.
- The trampoline is not recommended for children under 6 years of age.

For Customer Service, please call 1-877-927-8777 or visit http://www.jumpking.com Monday – Friday 8:00 AM – 5:00 PM Central Time

YJ (USA) Corp. 3970 Lindbergh Drive, Addison, TX 75001 Made in China



Trampolines User Guide

QUESTIONS?

If you have questions after reading this manual, please call our toll-free Customer Hot Line. The trained technicians on our Customer Hot Line will provide immediate assistance.

Customer Hot Line: 877-927-8777 Monday–Friday, 8 a.m.–5 p.m. CT.

REPLACEMENT PARTS

To order replacement parts, please visit our website at www.jumpking.com or call 1-877-927-8777.

More detailed instructions on assembling your trampoline may be available on www.jumpking.com in the Support section.

CONTENTS

IMPORTANT PRECAUTIONS	. 4
WARNING LABEL PLACEMENT	. 5
BEFORE YOU BEGIN	. 6
TRAMPOLINE/ENCLOSURE SAFETY INFORMATION	. 7
USE AND INSTRUCTIONAL MATERIAL	11
ASSEMBLY	17
CARE AND MAINTENANCE	29
EXPLODED DRAWING AND PART LIST	30



IMPORTANT PRECAUTIONS

WARNING: To reduce the risk of serious injury, read and follow all warnings, precautions, and instructions in this manual before assembling and using the trampoline.


- The owner and supervisors of the trampoline are responsible to make sure all the users are aware of practices specified in this manual.
- 2. Use only under Adult Supervision.
- Place the trampoline and trampoline enclosure on a level surface before use.
- 4. Must place the trampoline on lawn, bark wood chip, sand or cushioning materials.
- Adequate overhead clearance is essential. A minimum of 7.3m (24ft) above the ground is recommended. Provide clearance for wires, tree limbs, and other possible hazards.
- Maintain at least 2.5m (8.2ft) on around all sides of the trampoline. This area should not included concrete, asphalt, brick, or other hard surfaces as these can cause serious injuries.
- Lateral clearance is essential. Place the trampoline and trampoline enclosure away from walls, structers, fences, and other play areas. Maintain a clear space on all sides of the trampoline and trampoline enclosure.
- Use the trampoline and trampoline enclosure in a well-lighted area. Artificial illumination may be required for indoor or shady areas.
- Secure the trampoline and trampoline
 enclosure against unauthorized and unsupervised
 use. If an access ladder is used, it should be
 removed when the trampoline and trampoline
 enclosure is not in use.
- 10. Inspect the trampoline and trampoline enclosure before each use, and replace any worn, defective, or missing parts. Make sure the frame padding, barrier, enclosure tubes and foam sleeves are correctly positioned.
- Remove any obstructions from beneath the trampoline and trampoline enclosure.
- 12. The trampoline is designed for users weighing 90kg (200 lbs.) or less. Trampolines over 20 in. (51cm) tall are not recommended for use by children under 6 years of age.

- 13. Do not allow more than one person on the trampoline and inside the trampoline enclosure. Use by more than one person at the same time can result in serious injuries.
- Misuse and abuse of the trampoline is dangerous and can cause serious injuries.
- Use trampoline and trampoline enclosure only with mature, knowledgeable supervision.
- 16. Climb on and off the trampoline. It is a dangerous practice to jump from the trampoline to the floor or ground when dismounting, or to jump onto the trampoline when mounting. Do not use the trampoline as a springboard to other objects.
- 17. Injury may result from encountering the frame or falling through the springs while getting onto or off the trampoline or while jumping. Stay in the center of the bed when jumping. Do not use the trampoline without the frame pad securely in place to cover the frame. The frame pad is not designed or intended to support the weight of the user. Do not step or jump directly onto the frame pad.
- 18. The trampoline is a rebounding device that propels the user to unaccustomed heights and into a variety of body movements. Rebounding off the trampoline, striking the frame or springs, or improperly landing on the bed may cause injury.
- 19. Do not attempt or allow somersaults on the trampoline. This can result in a broken head, neck, back, or leg. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
- Do not use the trampoline while under the influence of alcohol or drugs. These substances impair reaction time, judgement and physical coordination.
- 21. Do not jump on the trampoline while holding an object, particularly one that is sharp or breakable.
- 22. Bounce only when the surface of the bed is dry. Wind or air movement should be calm to gentle. The trampoline must not be used in gusty or severe winds.
- 23. The trampoline enclosure is only to be used as an enclosure for a trampoline of a size for which the enclosure is designed.
- 24. Trampoline equipped enclosure is recommended for safety.

- Do not attach anything to the barrier that is not a manufacturer approved accessory or part of the enclosure system.
- Wear clothing free of drawstrings, hooks, loops, or anything that could get caught in the barrier.
- Enter and exit the trampoline enclosure only at the door designed for that purpose.
- 28. Do not attempt to crawl under the barrier.
- 29. Do not attempt to jump over the barrier.
- 30. Do not intentionally rebound off the barrier.
- The trampoline frame and the enclosure are made of metal. They are not grounded, and they will conduct electricity. Therefore, an electrocution hazard exists.
- Keep all frame and heat sources away from the product.
- 33. Do not hang from, kick, cut or climb on the barrier.
- 34. Avoid bouncing when tired. Keep turns short.
- While keeping the head erect, focus eyes on the trampoline toward the perimeter. This will help control bounce.

- 36. Read all instructions before using the trampoline enclosure and trampoline. Warnings and instructions for the care, maintainance and use of this trampoline enclosure and trampoline are included to promote safe, enjoyable use of this equipment.
- Stop bouncing by flexing knees as feet come in contact with the trampoline bed. Learn this skill before attempting others.
- 38. Learn fundamental bounces and body positions thoroughly before trying more advanced skills. A variety of trampoline activities can be carried out by performing the basic fundamentals in various series and combinations, performing one fundamental after another, with or without feet bounces between them.
- Avoid bouncing too high. Stay low until bounce control and repeated landing in the center of the trampoline can be accomplished. Control is more important than height.
- 40. Bounce only when the surface of the bed is dry. Wind or air movement should be calm to gentle. The trampoline must not be used in gusty or serve winds.
- 41. Remove all hard or sharp objects including jewelry, eyeglasses, sunglasses or hairclips before jumping.


WARNING LABEL PLACEMENT




WARNING PLACARD PLACEMENT

The placard shown at the right must be attached to the trampoline enclosure by the owner.

If the placard is missing or illegible, call our Customer Hot Line toll-free at 877-927-8777, Monday through Friday, 8 a.m. until 5 p.m. Central Time, to order a free replacement placard. Note: The placard shown is not actual size.





BEFORE YOU BEGIN

Thank you for selecting a Bounce Safe trampoline / enclosure. "Bounce Safe" is designed and crafted to provide many years of fun and fitness. This trampoline/enclosure comes equipped with warnings and instructions for the assembly, care, maintenance and use of the trampoline/enclosure. This information must be read by all trampoline supervisors and users before any person is allowed to use the trampoline/enclosure.

If you have questions after reading this manual, please call our Customer Hot Line at 877-927-8777, Monday - Friday, 8 a.m. until 5 p.m. Central Time (excluding holidays) or visit our website at www.jumpking.com. To help us assist you, please mention the name of the product when calling.

TRAMPOLINE SAFETY INFORMATION

In trampoline use, as in all active recreational sports, participants can be injured. However, there are steps that can be taken to reduce the risk of injury. In this section, primary accident patterns are identified and the responsibilities of supervisors and jumpers in accident prevention are described.

ACCIDENT CLASSIFICATION

Somersaults (flips): Landing on your head or neck, even in the middle of the trampoline bed, increases the risk of a broken back or neck, which can result in paralysis or death. Such events can occur when a jumper makes an error trying to perform a forward or backward somersault (flip). Do not perform somersaults (flips) on this backyard trampoline.

Multiple Jumpers: More than one jumper on the trampoline increases the chance of a jumper becoming injured by losing control of his or her jump. Jumpers may collide with one another, fall of the trampoline, fall on or throught the springs, or land incorrectly on the bed. The lightest waight jumper is the jumper most likely to be injured.

Mounting and Dismounting: The trampoline bed is several feet from ground level. Jumping off the trampoline to the ground or any other surface may result in injury. Jumping onto the trampoline from a roof, deck, or other object also represents a risk of injury. Smaller children may need assistance getting onto or down from the trampoline. Climb carefully onto and off the trampoline. Do not step onto the springs or the frame pad. Do not grasp the frame pad to pull yourself onto the trampoline.

Striking the Frame or the Springs: Injury may result from encountering the frame or falling through the springs while jumping or getting onto or off the trampoline. Stay in the center of the bed when jumping. Make sure to keep the frame pad in place to cover the frame. The frame pad is not designed nor intended to support the weight of the trampoline user. Do not step or jump directly onto the frame pad.

Loss of Control: Jumpers who lose control of their jump may land on the bed incorrectly, land on the frame or springs, or fall off the trampoline. A controlled jump is one where the landing is in the same spot as the takeoff. Before learning a more difficult maneuver, the preceding one should be performed consistently under control. Attempting a maneuver beyond present skill levels increases the chance of loss of control. To regain control and stop your jump, bend your knees sharply when you land.

Alcohol or Drug Use: The chance of injury increases when a jumper has consumed alcohol or taken drugs. These substances impair a person's reaction time, judgment, and physical coordination.

Encountering Objects: Use of a trampoline while other people, pets, or objects are underneath it will increase the chance of injury. Jumping while holding or having an object on the trampoline, particularly one that is sharp or breakable, will increase the chance of injury. Placing a trampoline too close to overhead electrical wires, tree limbs, or other obstructions can increase the chance of injury.

Poor Maintenance of the Trampoline: Jumpers may be injured if a trampoline is used when it is in poor condition. A torn bed, bent frame, broken spring, or missing frame pad, for example, should be replaced before anyone is allowed to jump. Inspect the trampoline before each use.

Weather Conditions: A wet trampoline bed is too slippery for safe jumping. Gusty or high winds can cause jumpers to lose control. To reduce the chance of injury, use the trampoline only under appropriate weather conditions.

Access: To prevent access to the trampoline by unsupervised smaller children, the access ladder should always be removed and stored in a secure location when the trampoline is not in use.

METHODS OF ACCIDENT PREVENTION

The Supervisor's Role in Preventing Accidents

It is the responsibility of the supervisors of trampoline users to provide knowledgeable and mature supervision. They need to know and enforce all the rules and warnings set forth in this manual to minimize the likelihood of accidents and injuries and to inform users of these rules. During periods of time when supervision is unavaileble or inadequate, this may require that the trampoline be disassembled, placed in secure area, or otherwise secured against unauthorized use. Another option that may be considered is covering the trampoline with heavy trap that can be secured with locks and chains.

The Jumper's Role in Preventing Accidents

Education on the part of the user is a must for safety. Users must first learn a low, controlled bounce and then learn the basic landing positions and combinations before proceeding to intermidiate skills. Jumpers must understand why they have to master "control" before they can start thinking about other moves. Understanding the proper progression of skills in jumping on a trampoline must be the first lesson. Review this manual to learn about the basic techniques for using the trampoline. For further information or additional instructional materials, contact certified trampoline instructer.

TRAMPOLINE SAFETY INSTRUCTIONS

For the Supervisor

Read the instructions before using the trampoline. Enforce all of the safety rules and be familiar with the information in this manual to help new users learn basic jumps and all users follow trampoline safety. All trampoline users must have mature, knowledgeable supervision, regardless of the skill or age of the jumper.

This trampoline is not recommended for use by children under 6 years of age.

Inspect the trampoline before using it. Do not use the trampoline without the frame pad securely in place to cover the frame. Do not use the trampoline when it is wet or in a windy condition. A worn or damaged bed, spring, or frame piece should be replaced immediately.

Keep objects away that could interfere with the jumper.

Secure the trampoline against unauthorized and unsupervised use.

For the Jumper

Do not use the trampoline when under the influence of drugs or alcohol.

Avoid bouncing when tired.

JUMPING

Learn fundamental jumps and body positions thoroughly before trying more advanced skills. Be alert to your own limitations in the execution of trampoline skills. Review this manual to learn how to do basic jumps.

Stop your bounce by flexing your knees as your feet come in contact with the trampoline bed. Learn this skill before attempting others.

Avoid jumping too high or for too long. Always control your jump. A controlled jump is one where the takeoff and landing spots are the same.

Bounce in the center of the trampoline. Focus your eyes on the frame pad. Failure to do so may result in a loss of balance and control.

Take turns jumping, one at a time, and always have someone watch you.

GETTING ON AND OFF

Climb onto and off the trampoline; do not jump onto it or off it. Do not use the trampoline as a springboard to other objects. For additional information regarding skill training, contact a trainer certification organizations.

TRAMPOLINE ENCLOSURE SAFETY INFORMATION

NEED FOR TRAMPOLINE ENCLOSURE SAFETY

A trampoline enclosure is a recreational product.

The information on this page and on page 10 identifies important safety precautions. The precautions are not all-inclusive, because an enclosure can be used in ways that this manual cannot cover completely.

To prevent pinches and cuts during enclosure use, a frame pad must be installed on the trampoline. (See the trampoline manufacturer's instructions.) The frame pad must be installed before the enclosure is erected. The frame pad reduces the chance of injury from accidental contact with the springs and frame.

USING THE ENCLOSURE SAFELY

Adult Supervision of Children

Children using a trampoline with a trampoline enclosure must be supervised by adults. Young children must be supervised constantly. Adults must pay particular attention to:

- · things that children bring into the enclosure.
- · children's activities inside the enclosure.
- conditions inside the enclosure while children are using it.
- · the way children get into and out of the enclosure.

Additional details of safe enclosure use are described below.

Electrocution Hazard Associated with the Metal Frame of the Trampoline and Enclosure

The trampoline and enclosure frames are made of metal. They are not grounded, and they will conduct

electricity. Lights, electric heaters, extension cords, and household electrical appliances are not permitted in or on the trampoline or enclosure.

Hazards Associated with Entering and Exiting the Trampoline Enclosure

A trampoline enclosure installed on a trampoline is raised off the ground. The height of the enclosure increases the risk of a fall when a jumper is entering or exiting the enclosure. Young children in particular may have difficulty getting into and out of the enclosure. To reduce the risk of faling, help young children to get into and out of the enclosure.

Enter and exit the trampoline enclosure only through the door of the enclosure (the opening in the netting walls). The trampoline bed and the netting walls of the enclosure are separate pieces; jumpers, particularly young children, must not exit the enclosure by going out between the bed and the netting walls. Trying to exit in this way poses a risk of strangulation from being caught between the trampoline frame and the netting walls.

Darkness increases the chances of a fall when a jumper is entering or exiting the enclosure. Do not use the trampoline unless adequate lighting is provided.

Hazards Associated with Animals and Sharp and Breakable Objects

To avoid damage to the trampoline enclosure and the trampoline, do not allow pets or other animals inside of the enclosure. The claws and teeth of animals can damage the netting. Do not jump on the trampoline while holding or wearing a sharp or breakable object.

Hazards Associated with High Winds

A trampoline with an enclosure can be moved or blown over by high winds, potentially injuring anyone in its path or anyone inside of the enclosure. If you anticipate high winds, take down the enclosure netting, and stake the trampoline frame to the ground (see page 22), or move the trampoline and enclosure to a sheltered location.

Storing the Trampoline Enclosure Safely

Specific steps for storing the trampoline enclosure are presented later in this manual. There are specific safety precautions to be aware of when storing the enclosure.

Remove the attached tube sections as a unit, and separate them on the ground. Avoid pinching your fingers by keeping your fingers away from pinch points near the bracket assembly while you are removing the tubes from frame.

Placing the Trampoline in a Safe Place

There must be at least 7.3 m (24 ft.) of clear, open space above the trampoline bed. Do not place or store anything underneath the trampoline.

To avoid injury, the trampoline must be kept away from objects and possible hazards including electric power wiring, tree limbs, and fences. Do not place the trampoline near any other recreational devices or structures such as a swimming pool or swing set.

The trampoline must be placed on a level surface before use, and the area around the trampoline must always be well lighted.

For the Supervisor

Be familiar with the information in this manual and enforce all of the safety rules. Help new users and all users to use the trampoline and enclosure safely.

All trampoline users must have someone watch them, regardless of the skill or age of the user.

Secure the trampoline against unauthorized and unsupervised use. Keep the trampoline free of objects that could interfere with the jumper.

This trampoline enclosure is not recommended for use by children under 6 years of age or by anyone weighing more than 90 kg (200 lbs.).

Use the trampoline only when the bed is clean and dry. Inspect the trampoline and enclosure prior to each use and replace any worn or damaged parts. Use only when the enclosure netting has no holes, the clamps are tightly secured to the tubes and the frame, and the netting is properly suspended.

For the Jumper

Do not use the trampoline enclosure when under the influence of drugs or alcohol.

Avoid jumping too high or for too long. Always control your jump.

Take turns jumping one at a time, and always have someone watch you.

Do not attempt to jump over the netting. Do not intentionally rebound off the netting. Do not hang from, kick, cut, or climb on the netting.

Wear clothing that is free of drawstrings, hooks, loops or anything that could get caught in the netting.

Do not attach anything to the netting that is not a approved accessory or part of the trampoline enclosure.

How to Enter and Exit the Trampoline Enclosure

Enter and exit the trampoline enclosure only through the door in the netting. To enter the enclosure, first unfasten the plastic clips on the door and unzip the zippers. Place one knee on the frame pad and climb head first through the door. Refasten the plastic clips and close the zippers.

To exit the enclosure, first unzip the zippers on the door and unfasten the plastic clips. Sit on the bed of the trampoline and climb feet first through the door. When you are through the door and sitting on the frame pad, step or jump safely to the ground. Close the zippers and refasten the plastic clips.

USE AND INSTRUCTIONAL MATERIAL

OVERVIEW OF TRAMPOLINE USE

The first periods of trampoline use should focus on learning fundamental body positions and practicing the eight basic bounces that are described on pages 13 and 14 in this manual.

During this learning period, jumpers should practice these basic techniques and perfect them. Braking, or checking the bounce, should be taught first and stressed as a safety measure. Jumpers should brake their jump whenever they start to lose balance or control. This is done by simply flexing the knees sharply upon landing and absorbing the upward thrust of the bed. This enables the jumper to stop suddenly and avoid losing control.

In trampoline use, the takeoff point and landing point of a good, controlled jump are in the same spot. An exercise is considered learned only when a jumper is able to perform it consistently. Jumpers should never proceed to any advanced step until they can perform all previous techniques consistently.

Allow each jumper a brief turn on the trampoline. Extended bouncing exposes an overtired user to an increased risk of injury. Longer turns tend to lessen the interest of others waiting to jump. Clothing should consist of a T-shirt and shorts. Jumpers should wear regulation gymnastic shoes or heavy socks, or they may jump barefoot. Street shoes or tennis shoes should not be worn on the trampoline. Beginning jumpers may wish to wear loose-fitting protective clothes, such as a long-sleeve shirt and pants, until correct landings are mastered. This will reduce the chance of mat (bed) burns from improper landings on elbows and knees. No hard-sole shoes should be worn, as they cause excessive wear on the trampoline bed.

Mounting and dismounting properly should be a strict rule from the beginning. Users should climb onto the trampoline by placing their hands on the frame and stepping or rolling up onto the frame, across the springs, and onto the bed. Do not step directly onto the frame pad or grasp the frame pad when mounting or dismounting the trampoline. Users should always place their hands on the frame while mounting or dismounting. To dismount, jumpers should walk to the side of the bed, bend over and place one hand on the frame, and than step from the bed to the ground. If you have installed the optional ladder, its rungs can be used to mount or dismount. Always face the ladder and place your hands on the frame. Make shure your foot has secure contact with the ladder rung when using it.

Reckless bouncing should not be permitted. All skills should be learned at moderate heights. Control, rather than height, should be emphasized. Jumpers should be forbidden to practice alone and unsupervised.

DO NOT attempt or allow somersaults. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.

Use trampoline only with mature, knowledgeable supervision.

Trampolines over 20 in. (51 cm) tall are not recommended for use by children under 6 years of age.

Inspect the trampoline before each use. Make sure the frame padding is correctly and securely positioned. Replace any worn, defective, or missing parts.

Avoid bouncing too high. Stay low until bounce control and repeated landing in the center of the trampoline can be accomplished. Control is more important than height.

While keeping the head erect, focus eyes on the trampoline toward the perimeter. This will help control bounce.

Avoid bouncing when tired. Keep turns short.

Properly secure the trampoline when not in use. Protect it against unauthorized use. If a trampoline ladder is used, the supervisor should remove it from the trampoline when leaving the area to prevent unsupervised access by children under 6 years of age.

Keep objects away which could interfere with the performer. Maintain a clear area around the trampoline.

Do not use the trampoline while under the influence of alcohol or drugs.

For information concerning skill training, contact a certified trampoline instructor.

Bounce only when the surface of the bed is dry. Wind or air movement should be calm to gentle. The trampoline must not be used in gusty or severe winds.

INSTRUCTIONAL PROGRAM AND MODEL LESSONS

The following lessons are examples of an instructional program. They should follow a complete discussion and demonstration of body mechanics between the supervisor and the student(s). See pages 13 and 14 for descriptions of basic trampoline skills.

Lesson 1

- 1. Mounting and dismounting—Demonstration and practice of proper techniques.
- Fundamental bounce—Demonstration and practice.
- 3. Braking (checking the bounce)—Demonstration and practice. Braking on command.
- 4. Hand and knee drop—Demonstration and practice, stressing four-point landing and alignment.

Lesson 2

- 1. Review and practice of skills previously learned.
- Knee drop—Half twist to the right, to the left, to the feet, and then to the knees.
- 3. Seat drop—Half twist to the feet. Seat drop, knee drop, hand and knee drop, repeat.

Lesson 3

- 1. Review and practice of skills previously learned.
- 2. Front drop—To save time and avoid mat (bed) burns, all students should be requested to assume the front drop position on the floor while the instructor checks for faults. Syggested progression: frin had and knee bounce, the body is extended for the landing in the front drop position, and the rebound is made to the feet
- Practice routine—Hand and knee drop, front drop, feet, seat drop, half twist to feet.

Lesson 4

- 1. Review and practice of skills previously learned.
- 2. Back drop—Demonstration, emphasizing the forward thrust of the hips by arching the body as one

leg is brought forward from the standing (not bouncing) position, and the drop to the back with the chin held forward to the chest and the eyes forward on the frame pad. Spotting this skill is most important. Demonstration of back drop with low bounce and practice of both techniques.

Lesson 5

- 1. Review and practice of skills previously learned, encouraging original routines based on them.
- Half turntable—Start from the front drop position and push to the left or right with the hands. Turn the head and shoulders in the same direction. Keep the back parallel to the bed and the head up. After completing a half turn, land in the front drop position.

Lesson 6

- 1. Swivel hips—Suggested progression: seat drop, feet, half twist, repeat; seat drop, half twist to feet, repeat; seat drop, half twist to seat drop.
- 2. Half turntable.

Lesson 7

The student should now be encouraged to design and organize routines, with emphasis on good form. The instructor may judge or grade students and arrange groupings for further instruction accordingly.


To stimulate interest in competition, the game of "Trampoline Horse" can be introduced. Before the game begins, students must count off. To start the game, student number 1 performs a stunt. Student number 2 then mounts the trampoline and performs the same stunt and adds a second stunt. Student number 3 mounts and performs stunts 1 and 2 and adds a third stunt. Thus, the series of stunts is continously lengthened. The first person to miss a a stunt in the series assumes the letter "H" and starts a new series with a stunt. If a person misses again, he assumes the letter "O". The first person to accumulate "H-O-R-S-E" is eliminated from the game. The last remaining contestant is the winner.

Lesson planning from this point should be facilitated by contacting a certified trampoline instructor.

BASIC TRAMPOLINE SKILLS


Fundamental Bounce

- 1. Start from a standing position with your head erect and your eyes on the frame pad.
- 2. Swing your arms forward and up in a circular motion.
- 3. Bring your feet together and point your toes downward while in the air.
- 4. Keep your feet about 30 cm (15 in.) apart when landing on the bed.




Knee Drop

- 1. Start bouncing from a standing position, keeping your eyes on the frame pad.
- 2. Land on your knees, keeping your back straight and your body erect.
- 3. Come back up to an erect position.




Hand and Knee Drop

- 1. Start bouncing from a standing position, keeping your eyes on the frame pad.
- 2. Land on the bed on your hands and knees.
- 3. Push with your hands and come back up to an erect position.




Back Drop

- Start from a low bounce and land on your back
- 2. Keep your chin forward on your chest as you land.
- 3. Kick forward and up with your legs to return to an erect position.




Seat Drop

- 1. Land in a sitting position with your legs parallel to the bed.
- 2. Place your hands on the bed beside your hips.
- 3. Push with your hands to return to an erect position.




Front Drop

- 1. Start from a low bounce and land on the bed in a prone position.
- 2. Keep your head up and your arms extended forward on the bed.
- 3. Push with your arms to return to an erect position.




Half Turntable

- 1. Start from the front drop position and push to the left or right with your arms to begin turning your body in the opposite direction.
- 2. Turn your head and shoulders toward the direction that your body is turning.
- 3. Keep your back parallel to the bed and your head up.
- 4. After completing a half turn, land in the front drop position.



Swivel Hips


- 1. Start with a seat drop.
- 2. Turn your head to the left or right and swing your arms up in the same direction.
- 3. Turn your hips in the same direction as your head and arms, completing a twist.
- 4. Land in the seat drop position.



BUILDING YOUR TRAMPOLINE

- 1. This is a 2 person build.
- 2. Time for build is approximately 2 hours.
- 3. Choose a good location:
 - On a level surface that is soft (wood chippings, sand or grass).
 - Ensure adequate overhead clearance. A minimum of 24ft (7.3m) from ground level, away from wires, trees and other possible hazards.
 - Ensure a clear space of 8.2ft (2.5m) around sides, away from walls, fences, structures, asphalt and other hard surfaces and play areas.

WHAT YOU WILL NEED



Description:

Phillips-head screwdriver



Description: **Gloves**



Description: Safety glasses



Description: Mallet

IMPORTANT PRECAUTIONS

WARNING: To reduce the risk of serious injury, read and follow all warnings, precautions, and instructions in this manual before assembling and using the trampoline.

The owner and supervisors of the trampoline are responsible to make sure all the users are aware of practices specified in this manual.

Place the trampoline and trampoline enclosure on a level surface before use.

Adequate overhead clearance is essential. A minimum of 7.3m (24ft) from ground level is recommended. Provide clearance for wires, tree limbs, and other possible hazards.

Lateral clearance is essential. Place the trampoline and trampoline enclosure away from walls, structures, fences, and other play areas. Maintain a clear space on all sides of the trampoline and trampoline enclosure.

Use the trampoline and trampoline in a well-lighted area. Artificial illumination may be required for indoor or shady areas.

Secure the trampoline and trampoline enclosure against unauthorized and unsupervised use. If an access ladder is used, it should be removed when the trampoline and trampoline enclosure is not is use.

Remove any obstructions from beneath the trampoline and trampoline enclosure.

The trampoline is designed for users weighing 90 kg (200 lbs.) or less. Trampolines over 20 in. (51 cm) tall are not recommend ed for use by children under 6 years of age.

Do not attempt allow somersaults on the trampoline. This can result in a broken head, neck, back, or leg. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.


Do not use the trampoline while under the influence of alcohol or drugs. These substances impair reaction time, judgement and physical coordination.

Avoid bouncing when tired. Keep turns short.


While keeping the head erect, focus eyes on the trampoline toward the perimeter. This will help control bounce.

Avoid bouncing too high. Stay low until bounce control and repeated landing in the center of the trampoline can be accomplished. Control is more important than height.

Bounce only when the surface of the bed is dry. Wind or air movement should be calm to gentle. The trampoline must not be used in gusty or sever winds.










You will need the following parts to complete step 1:


- 5 x Top Tubes with Pod-connector Part A
- 5 x Top Tubes with T-connector Part B
- 5 x Center legs Part C
- 10 x Leg extensions Part D







Insert another leg extension (D) into the other end of the center leg.




Important: The frame is held together under tension so you will have to use some force to insert certain parts.

Place your feet on the top tubes and grip the leg extension with both hands.

Pull the extension until it can be inserted into the POD-connector.

Insert the end of leg extension into the POD-connector.




Push down on the end of the center leg to fully insert the leg extension into the POD-connector.



Repeat the last two steps until you have assembled the five sections of the trampoline's frame.

You have now completed step 1.


STEP 2: ASSEMBLING THE FRAME



This step will require 2 people who must be wearing gloves.


Slot two of the frame section together as shown in the diagram.





While one person holds the assembled sections upright, the other person can insert a second section onto the end of the assembled sections.

Now add the third, fourth, and final sections.



You will now need to slot the frame together, **this** will take some force. The easiest method is to have two people face each other.


Hold the top tubes either side of the POD-connector and push towards each other until the loose end of the frame can be inserted into the T-connector.



Important: Ensure all of the top tubes, leg extensions and center legs are fully inserted.


The frame is now assembled and you have completed step 2.

STEP 3: FITTING THE STITCHED BED




This step will require 2 people who must be wearing gloves and protective eye wear.

Lay the stitched bed (*with the V-Rings*) **part F** out inside the frame of the trampoline with the warning labels facing upwards.




Locate the 5 V-rings with Green webbing. These will be at 72° to each other.



Slot one of the springs **Part E** onto one of the green webbing V-rings as shown.


Important: springs must be slotted on the right way to V-ring.



Slot the other end of the spring into one of the spring slots on the top of the frame.

Count number slot to make sure it matches with V-ring.

IMPORTANT: Ensure the spring is fully inserted into the slot on the top of the frame.



Attach a spring to the opposite green webbing V-Ring.

Important: You will now need to use the spring tool **part M** to attach the spring to the frame.

Hook the spring tool onto end of spring, and pull until the spring can be slotted into the spring slot on top of the frame.

IMPORTANT: Ensure the spring is fully inserted into slot on the top of the frame.



A tach the other green webbing V-Rings adjacent to five attached points and then attach them to the frame as shown in the picture.



Attach five more springs to the V-Rings to five attached points and than attach them to the frame as showen in the picture

The stitched bed should now be as shown in the diagram.



Attach ten more springs to the V-Rings and the frame as shown in the picture.




Continue to attach springs in the same sequence as above: In the middle of the new sections, making sure the next spring is attached on the opposite side of the new spring to even out the tension around the trampoline.

Important: The stitched bed is designed like elastic to be bouncy, which means that during assembly it may look like it won't fit. Please note that it will stretch to the correct size when attaching the springs, this may take some force.


The stitched bed is now fitted and you have completed step 3.

STEP 4: FITTING THE FRAME PAD




This step will require 2 people.

Lay the frame pad **- Part G** out over the edge of the frame with the ties facing downwards.




Align the openings in the frame pad with the POD-connector on the frame.



Look under the trampoline and locate the pairs of straps near the edge of bed and Double D-ring and webbing near the frame.

See the inset drawing. A, B and C. Repeat this step with the remaining straps (not shown).




Using the included plastic tie, attach the Safety Placard **Part O** to the frame near the point where jumpers will climb onto and off the trampoline.

The frame pad is now fitted and you have completed step 4.

WARNING: The trampoline **MUST NOT** be used during assembly.


STEP 5: FITTING THE ENCLOSURE POLES




You will need the following parts to complete step 5:

- 5 x Bottom enclosure poles Part H
- 5 x Top enclosure poles Part I
- 5 x Self tapping screws Part L


You will also need a phillips-head screwdriver (not supplied).




Insert the thin end of one of the bottom enclosure poles (H) into the open end of the top enclosure poles (I).




Align the hole in the bottom enclosure pole with the slot in the top enclosure pole.




Screw one of the self tapping screws (L) through the slot in the top enclosure pole and into the hole in the bottom enclosure pole using the phillips-head screwdriver.




Insert the bottom enclosure pole into the POD-connector visible through the slots on the frame pad.



Assemble the remaining enclosure poles using the remaining self tapping screws and the phillips-head screwdriver.




Insert the remaining enclosure poles into the POD-connector on the frame.



The enclosure poles are now installed and you have completed step 5.


STEP 6: FITTING THE ENCLOSURE NETTING




Black G3 poles

You will need the following parts to complete step 6:


- 1 x Enclosure netting Part J
- 2 x Black G3 poles Part K




Lay the enclosure netting (J) out on the trampoline.




Find the sleeves that run along the top of the enclosure netting (J).




Slot the thin sections on the two black G3 poles (K) into the metal ends so the poles become two long sections.



Slot one of the Black G3 poles (K) through three of the sleeves on the top of the enclosure netting (J).




Slot the remaining Black G3 poles (K) through the three other sleeves on the top of the enclosure netting (J).



You will now join the two ends of the Black G3 poles (K) together with the fitted pole connectors, this will require two people.

Both people hold two of the poles end sections and walk towards each other to bend the poles into a circle.




As soon as the poles are bent enough, insert the connectors into the socket on the other pole (1).


Push the pin inwards (2) and fully insert the connector.

Ensure the pin is protruding through the slot in the socket.


You may need to slide the connected poles around in the nettings sleeves until the thin black sections are aligned with the gaps between sleeves.



Stand on the trampoline and insert one of the exposed sections of the Black G3 pole into a plastic grip on top of one of the enclosure poles (I).




Attach the four other exposed sections of the Black G3 pole to the other enclosure poles in the order shown in the diagram.




The enclosure net is now fitted and you have completed step 6.

STEP 7: ATTACHING THE BOTTOM OF THE NET




You will need the following parts to complete step 7: 8 x Cords - Part N.



Tie the non-plastic end of the cord (N) around a V-Ring. Push the red plastic end through a hole in the bottom of the netting.


Important: Keep the cord tight at all times.



Insert red plastic end of the cord through the middle of the next V-Ring along.

Now insert the red plastic end back through the net and down through the next V-Ring. Continue to do this until you have used up nearly all the cord then tie this end around a V-Ring.

Tie another cord to this V-Ring and continue until all of the net is tied down.




From the underside of the trampoline, tie the remaining elastic straps around the springs or through the V-Rings.



Using the included plastic tie, attach the Safety Placard **Part O** to the netting near the door as shown.


You have completed step 7 and the trampoline is fully assembled.

USING THE TRAMPOLINE




Before using your trampoline, check again that there is enough clearance around it. Maintain a clear space of 2.5 meters (8.2 feet) on all sides of the trampoline.

Also check that the area is free from walls, structures, fences, tarmac and other hard surfaces and other play areas.



Ensure that there is 7.3 meters (24 feet) clearance above the ground.

Also check that there are no overhanging objects in the area above the trampoline.



To enter the trampoline, unzip the door and climb in.

Always close the doorway before using the trampoline.

CARE AND MAINTENANCE

CARE

Do not allow pets or animals on the trampoline or inside the enclosure, as claws may snag and pull the bed material or damage the frame pad or netting.

The trampoline/enclosure is intended to be used by one person at a time weighing 90 kg (200 lbs.) or less. The user should be either barefoot, or wearing gymnastic shoes.

Street shoes or tennis shoes should not be worn on the trampoline. The user should remove all sharp objects from his or her person that may cause injury or damage to the bed. Heavy, sharp, or pointed hard objects should not contact the bed.

Appropriate shoes should be worn inside the

Appropriate shoes should be worn inside the enclouser to reduce wear to the bed.

MAINTENANCE

Your trampoline is manufactured using quality materials and crafted to provide you and your family with many years of enjoyment and exercise. Proper maintance and care will help to prolong the life of the trampoline and reduce the possibility of injury.

Prolonged expouser to the sun, especially ultraviolet rays, will shorten the life of the enclosure fabric. For longer fabric life, store the enclosure when it is not being used. A dry enclouser, properly stored, will provide the longest life of the fabric, sewing, and hardware. Remove the enclosure from the trampoline during harsh weather conditions or during long periods of none-use.

The following guidelines should always be observed.

Inspect the trampoline/enclosure before each use, and replace any worn, defective, or missing parts. The following conditions could represent potential hazards and increase the danger of personal injury:

- a missing, improperly positioned, or insecurely attached frame pad, netting, enclosure tubes, foam sleeves
- punctures, frays, tears, or holes worn in the bed, frame pad, netting, foam sleeves.
- deterioration in the stitching or fabric of the bed, frame pad, netting
- · ruptured or missing springs
- · a bent or broken frame, leg, enclosure tubes
- a sagging bed, netting
- sharp protrusions on the frame, suspension system, enclosure tubes

If any of these conditions exists, the trampoline should be disassembled or otherwise protected against use until the condition is remedied.


REMOVING AND STORING THE TRAMPOLINE/ENCLOSURE

Make sure that the trampoline/enclosure is dry before removing and storing it. Use caution while removing the tubes due to the weight of the tubes.

Once the enclosure is removed from the trampoline, remove all items from the trampoline bed. Make sure that the bed is clean and that it has no tears or holes. Store the trampoline/enclosure in a safe, dry location.

SPECIAL CONSIDERATIONS

High Wind




It is possible for the trampoline and enclosure to be blown about by high wind. If you anticipate high winds, the trampoline/enclosure should be moved to a sheltered location, disassembled, or tied down to the ground with ropes and stakes (not included). At least three ropes and three stakes should be used. The tops of the stakes should be at ground level so that they will not create a tripping hazard. In addition, the tops of the stakes should be covered, if necessary, so that users will not be injured by falling onto the stakes. Make sure to attach the ropes to the top of the frame; do not simply secure the legs or the bases to the ground, as they can separate from the frame sockets.

Moving the Trampoline

If the trampoline/enclosure needs to be moved, it should be moved by two persons, kept horizontal, and lifted slightly. If necessary, the trampoline/enclosure can be disassembled for moving.

To disassemble the trampoline/enclosure, follow the assembly steps in reverse order (see pages 17 to 28). Do not attempt to disassemble the frame sections, legs, or bases before the bed and springs have been removed.

EXPLODED DRAWING AND PART LIST



Trampoline Assembly Parts Listing

Enclosure Assembly Parts Listing

Key No.	Qty.	Description	Key No.	Qty.	Description
1 2 3 4 5 6 7 8 9 10 11	5 5 5 10 5 1 1 60 1 7	Top Tube(With T-connector) Top Tube(With POD-connector) T-connector POD-connector Leg Extension W leg Stitched Bed with V-ring Frame pad Springs Set of User's Manual and placards Self-taping Screw (2 spare)		5 5 1 2 10 1 8 rt is not illus	Bottom enclosure pole Top enclosure pole Plastic Cap (This part has been attached to the top of the Top tube(13).) Netting with attached Hardware Black G3 Poles Foam Sleeve Spring Pulling Tool Ropes

ORDERING REPLACEMENT PARTS

To order replacement parts, visit our websites at www.jumpking.com or call our customer hotline (1-877-927-8777). To help us assist you, please provide the following information when calling:

- the MODEL of the trampoline/enclosure
- the KEY NUMBER and DESCRIPTION of the part (see the PART LIST above)
- · the quantity needed