JUMPKING®

13ft Combo

Model# JK13S017



USER'S MANUAL 3

Assembly, Installation, Care,
Maintenance, and Use Instructions.

WARNING

Read the assembly, installation, care, maintenance, and use instructions in this manual prior to assembling and using this trampoline/enclosure. Save this manual for future reference.

WARNING: **The trampoline/ enclosure is designed for users weighing 90kg (200 lbs.) or less.**

Ladder is not supplied with trampoline.

This enclosure is to be used only in connection with certain trampolines.

Use the trampoline and trampoline enclosure only with mature knowledgeable supervision.

YJ USA Corp., 3970 Lindbergh Drive Addison,TX 75001

www.jumppod.com
1-877-927-8777

JUMPKING®

13ft Combo

QUESTIONS?

If you have questions after reading this manual, please call our toll-free Customer Hot Line. The trained technicians on our Customer Hot Line will provide immediate assistance.

Customer Hot Line: 1-877-927-8777
Monday–Friday, 8 a.m.–5 p.m.

REPLACEMENT PARTS

To order replacement parts, please visit out website at www.jumppod.com or call 1-877-927-8777.

More detailed instructions on assembling their trampoline may be available on www.jumppod.com in the Manual and Assembly section.

CONTENTS

IMPORTANT PRECAUTIONS 4
WARNING LABEL PLACEMENT 6
BEFORE YOU BEGIN 6
TRAMPOLINE/ENCLOSURE SAFETY INFORMATION 7
USE AND INSTRUCTIONAL MATERIAL 11
ASSEMBLY 15
CARE AND MAINTENANCE 21
EXPLODED DRAWING AND PART LIST 22
ORDERING REPLACEMENT PARTS 22



IMPORTANT PRECAUTIONS

⚠ WARNING: To reduce the risk of serious injury, read and follow all warnings, precautions, and instructions in this manual before assembling and using the trampoline.

1. The owner and supervisors of the trampoline are responsible for making sure all the users are aware of practices specified in this manual.
2. Trained Spotter supervision is recommended.
3. Place the trampoline and trampoline enclosure on a level surface before use.
4. Must place the trampoline on lawn, bark wood chip, sand or cushioning materials.
5. Adequate overhead clearance is essential. A minimum of 7.3 m (24 ft) from ground level is recommended. Provide clearance for wires, tree limbs, and other possible hazards.
6. Maintain a free space of minimum 2500mm on all sides of the trampoline. This area should not included concrete, bitumen, brick, or other hard surfaces as these can cause serious injuries.
7. Lateral clearance is essential. Place the trampoline and trampoline enclosure away from walls, structures, fences, and other play areas. Maintain a clear space on all sides of the trampoline and trampoline enclosure.
8. Use the trampoline and trampoline enclosure in a well-lighted area. Artificial illumination may be required for indoor or shady areas.
9. Secure the trampoline and trampoline enclo sure against unauthorized and unsupervised use. If an access ladder is used, it should be removed when the trampoline and trampoline enclosure is not in use.
10. Inspect the trampoline and trampoline enclosure before each use, and replace any worn, defective, or missing parts. Make sure the frame padding, barrier, enclosure tubes, and foam sleeves are correctly positioned.
11. Remove any obstructions from beneath the trampoline and trampoline enclosure.
12. The trampoline is designed for users weighing 90kg(200 lbs.) or less. Trampolines over 20 in. (51cm) tall are not recommended for use by children under 6 years of age.
13. Do not allow more than one person on the trampoline and inside the trampoline enclosure. Use by more than one person at the same time can result in serious injuries.
14. Misuse and abuse of the trampoline is dangerous and can cause serious injuries.
15. Use trampoline and trampoline enclosure only with mature and knowledgeable supervision.
16. Climb on and off the trampoline. It is dangerous pratice to jump from the trampoline to the floor or gound when dismounting, or to jump onto the trampoline when mounting. Do not use the trampoline as a springboard to other objects.
17. Injury may result from encountering the frame or falling through the springs while getting onto or off the trampo line or while jumping. Stay in the center of the bed when jumping. Do not use the trampoline without the frame pad securely in place to cover the frame. The frame pad is not designed or intended to support the weight of the user. Do not step or jump directly onto the frame pad.
18. The trampoline is a rebounding device that propels the user to unaccustomed heights and into a variety of body movements. Rebounding off the trampoline, striking the frame or springs, or improperly landing on the bed may cause injury.
19. Do not attempt or allow somersaults on the trampoline. This can result in a head injury, broken neck, back, or leg. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
20. Do not use the trampoline while under the influence of alcohol or drugs. These substances impair reaction time, judgement, and physical coordination.
21. Do not jump on the trampoline while holding an object, particularly one that is sharp or breakable.
22. Bounce only when the surface of the bed is dry. Wind or air movement should be calm to gentle. The trampoline must not be used in gusty or severe winds.
23. The trampoline enclosure is only to be used as an enclosure for a trampoline of a size for which the enclosure is designed.
24. Trampoline equipped enclosure for safety is recommended.

25. Do not attach anything to the barrier that is not a manufacturer approved accessory or part of the enclosure system.

26. Wear clothing free of drawstrings, hooks, loops, or anything that could get caught in the barrier.

27. Enter and exit the trampoline enclosure only at the door designed for that purpose.

28. Do not attempt to crawl under the barrier.

29. Do not attempt to jump over the barrier.

30. Do not intentionally rebound off the barrier.

31. The trampoline frame and the enclosure are made of metal. They are not grounded, and they will conduct electricity. Therefore, an electrocution hazard exists.

32. Keep all frame and heat sources away from the product.

33. Do not hang from, kick, cut or climb on the barrier.

34. Avoid bouncing when tired. Keep turns short.

35. While keeping the head erect, focus eyes on the trampoline toward the perimeter. This will help control bounce.

36. Read all





TRAMPOLINE SAFETY INSTRUCTIONS

⚠ WARNING

Do not land on head or neck.
Paralysis or death can result, even if you land in the middle of the trampoline mat (bed).
To reduce the chance of landing on your head or neck, do not do somersaults (flips).
Avoid bouncing when tired.
While keeping the head erect, focus eyes on the trampoline towards the perimeter.

Only one person at a time on the trampoline. Not recommended for use by children under 6 years of age.
Multiple jumpers increase the chances of loss of control, collision, and falling off.
This can result in serious injury to head, leg or neck.

For the Supervisor

Read the instructions before using the trampoline. Enforce all of the safety rules and be familiar with the information in the User's Manual to help new users learn basic jumps and all users to follow trampoline safety.

All trampoline users must have mature, knowledgeable supervision, regardless of the skill or age of the jumper.

This trampoline is not recommended for use by children under 6 years of age.

Inspect the trampoline before using. Keep frame pad in place. Do not use when trampoline is wet or in a windy condition A worn or damaged mat (bed), spring, or frame piece should be replaced immediately.

Keep objects away that could interfere with the jumper.

Secure the trampoline against unauthorized and unsupervised use.

For the Jumper

Do not use the trampoline when under the influence of drugs or alcohol.

Jumping

Learn fundamental jumps and body positions thoroughly before trying more advanced skills. Review the User's Manual to learn about how to do basic jumps.

Stop your bounce by flexing your knees as your feet come in contact with the trampoline mat (bed).

Avoid jumping too high or for too long. Always control your jump. A controlled jump is one where the take off and land spots are the same.

Bounce in the center of the trampoline. Focus your eyes on the trampoline mat (bed). Failure to do so may result in a loss of balance and control.

Take turns jumping one at a time, and always have someone watch you.

Getting on and off

Climb on and off the trampoline. Do not jump on or off. Do not use the trampoline as a springboard to other objects.

For skill training information, contact a trainer certification organization.

ATTACH TO TRAMPOLINE

Made In China

INSTRUCTIONAL PROGRAM AND MODEL LESSONS

The following lessons are examples of an instructional program. They should follow a complete discussion and demonstration of body mechanics between the supervisor and the student(s). See pages 13 and 14 for descriptions of basic trampoline skills.

Lesson 1

1. Mounting and dismounting—Demonstration and practice of proper techniques.

2. Fundamental bounce—Demonstration and practice.

3. Braking (checking the bounce)—Demonstration and practice. Braking on command.

4. Hand and knee drop—Demonstration and practice, stressing four-point landing and alignment.

Lesson 2

1. Review and practice of skills previously learned.

2. Knee drop—Half twist to the right, to the left, to the feet, and then to the knees.

3. Seat drop—Half twist to the feet. Seat drop, knee drop, hand and knee drop, repeat.

Lesson 3

1. Review and practice of skills previously learned.

2. Front drop—To save time and avoid mat (bed) burns, all students should be requested to assume the front drop position on the floor while the instructor checks for faults. Suggested progression: from hand and knee bounce, the body is extended for the landing in the front drop position, and the rebound is made to the feet.

3. Practice routine—Hand and knee drop, front drop, feet, seat drop, half twist to feet.

Lesson 4

1. Review and practice of skills previously learned.

2. Back drop—Demonstration, emphasizing the forward thrust of the hips by arching the body as one leg is brought forward from the standing (not bouncing) position, and the drop to the back with the chin held forward to the chest and the eyes forward on the frame pad. Spotting this skill is most important. Demonstration of back drop with low bounce and practice of both techniques.

Lesson 5

1. Review and practice of skills previously learned, encouraging original routines based on them.

2. Half turntable—Start from the front drop position and push to the left or right with the hands. Turn the head and shoulders in the same direction. Keep the back parallel to the bed and the head up. After completing a half turn, land in the front drop position.

Lesson 6

1. Swivel hips—Suggested progression: seat drop, feet, half twist, repeat; seat drop, half twist to feet, repeat; seat drop, half twist to seat drop.

2. Half turntable.

Lesson 7

The student should now be encouraged to design and organize routines, with emphasis on good form. The instructor may judge or grade students and arrange groupings for further instruction accordingly.

To stimulate interest in competition, the game of “Trampoline Horse” can be introduced. Before the game begins, students must count off. To start the game, student number 1 performs a stunt. Student number 2 then mounts the trampoline and performs the same stunt and adds a second stunt. Student number 3 mounts and performs stunts 1 and 2 and adds a third stunt. Thus, the series of stunts is continuously lengthened. The first person to miss a stunt in the series assumes the letter “H” and starts a new series with a stunt. If a person misses again, he assumes the letter “O.” The first person to accumulate “H-O-R-S-E” is eliminated from the game. The last remaining contestant is the winner.

Lesson planning from this point should be facilitated by contacting a certified trampoline instructor.

BASIC TRAMPOLINE SKILLS

Fundamental Bounce

1. Start from a standing position with your head erect and your eyes on the frame pad.
2. Swing your arms forward and up in a circular motion.
3. Bring your feet together and point your toes downward while in the air.
4. Keep your feet about 30 cm (15 in.) apart when landing on the bed.



Knee Drop

1. Start bouncing from a standing position, keeping your eyes on the frame pad.
2. Land on your knees, keeping your back straight and your body erect.
3. Come back up to an erect position.



Hand and Knee Drop

1. Start bouncing from a standing position, keeping your eyes on the frame pad.
2. Land on the bed on your hands and knees.
3. Push with your hands and come back up to an erect position.



Back Drop

1. Start from a low bounce and land on your back.
2. Keep your chin forward on your chest as you land.
3. Kick forward and up with your legs to return to an erect position.



Seat Drop

1. Land in a sitting position with your legs parallel to the bed.
2. Place your hands on the bed beside your hips.
3. Push with your hands to return to an erect position.



Front Drop

1. Start from a low bounce and land on the bed in a prone position.
2. Keep your head up and your arms extended forward on the bed.
3. Push with your arms to return to an erect position.



Half Turntable

1. Start from the front drop position and push to the left or right with your arms to begin turning your body in the opposite direction.
2. Turn your head and shoulders toward the direction that your body is turning.
3. Keep your back parallel to the bed and your head up.
4. After completing a half turn, land in the front drop position.



Swivel Hips

1. Start with a seat drop.
2. Turn your head to the left or right and swing your arms up in the same direction.
3. Turn your hips in the same direction as your head and arms, completing a twist.
4. Land in the seat drop position.



ASSEMBLY

IMPORTANT ASSEMBLY INFORMATION

- Assembly requires a Phillips Head screw driver is needed to assemble trampoline/enclosure. However, screw driver are not provided. During the installation of springs, wear gloves and protective eye wear.
- Assembly requires two persons. Keep children away from the trampoline/enclosure until it is fully assembled.
- Use gloves to protect your hands from pinch points during assembly.
- The assembly steps refer to parts by their descriptions and key numbers (see the PART LIST on page 22). If a part is missing, see ORDERING REPLACEMENT PARTS on page 23.

TRAMPOLINE/ENCLOSURE PLACEMENT

1. Place the trampoline/enclosure on a level surface before use.
2. Adequate overhead clearance is essential. A minimum of 7.3 m (24 ft.) from ground level is recommended. Provide clearance for wires, tree limbs, and other possible hazards. Lateral clearance is also essential. Place the trampoline away from walls, structures, fences, and other play areas. Maintain a clear space on all sides of the trampoline/enclosure.
3. Use the trampoline/enclosure in a well-lighted area. Artificial illumination may be required for indoor or shady areas.
4. Secure the trampoline/enclosure against unauthorized and unsupervised use.
5. Remove any obstructions from beneath the trampoline/enclosure.
6. The owner and supervisors of the trampoline are responsible to make all users aware of practices specified in this manual.
7. The trampoline/enclosure is only to be used as an enclosure for a trampoline.

1. Separate all the parts by markings as shown:
   Qty 6 - Key #1 toprails with T-connector
   Qty 6 - Key #2 toprails with T-connector with Welded tube
   Qty 12 - Key #3 Leg extensions
   Qty 6 - Key #4 'W' shaped legs

1.1 Start assembling the 6 sections by :
Connecting toprail Key #1 to toprail Key #2.
Once complete, there will be a total of 6 sections as shown in the diagram.



1.2 Once you have all 6 toprail sections assembled and laid out in rows:
Start by connecting the leg extension into the T-connector.
Finish by connecting the 'W' shape leg into the leg extensions.
Repeat the steps above for the remaining sections.
Please note: You must alternate the legs as shown in the diagram or the frame system will not be assembled correctly.



2. Once you have all 6 sections completed:
Please note: There are 6 different sections of legs.
Start laying the sections out.
Make sure that 6 like leg sections lay across from each other.
Repeat with remaining leg sections as shown in the diagram.

2.1 Have 2 people begin connecting the 6 sections together.

2.2 Once the sections are connected, the frame will form a full circle.



3. Lay the Bed (7) on the ground inside of the assembled frame. Make sure that the two warning decals (not shown) are on top of the Bed.

   Note: There are V-rings around the edge of the Bed (7) and holes around the top of the frame. During this step, you will attach the Bed to the frame using the included Springs for holes on top of frame (see the inset drawing). Hook a spring to the Bed (7) and using the spring pulling tool (17), pull the spring from the Bed to the hole slot in the trampoline frame with even spring tension.

   To attach each Spring, you will first hook one end of the Spring into a V-ring with colored stitches (see illustration)



Hook the first two Springs(9) into the two V-rings on the jumping surface(7)and into the holes on the Top tube. Attach two more Springs(9) to the black webbing with colored stitches. Go to the opposite side of the jumping surface and attach 2 more springs (9) to the black webbing with colored stitches.

Continue to repeat the above steps until all Springs have been attached.

During the installation of springs, wear gloves and protective eye wear.



4. Lay the Frame Pad (8) on the frame.

Do not use the trampoline without the Frame Pad (8), which is designed to reduce the likelihood of injury to the user from coming in contact with the trampoline frame. If you do not have a Frame Pad, call our Customer Hot Line toll-free at 877-927-8777, Monday-Friday,8 a.m. -5 p.m. Central Time.(Excluding Holidays) Properly install the Frame Pad before using the trampoline.

5. Look under the trampoline and locate the pairs of straps near the edge of bed(7) and Double D-ring and webbing near the frame.

See the inset drawing. A, B and C. Repeat this step with the remaining straps (not shown).

Thread one end of Elastic Tie-Down, then tie a knot on V-Ring.

Repeat this step with the remaining straps which at middle position of each pad section (not shown).



6. The trampoline is now fully assembled. Make sure that all parts are securely attached. Familiarize yourself and all users of the trampoline with the safety precautions, use and instructional materials, and care and maintenance instructions in this manual before using the trampoline.

7. Lay a straight enclosure pole(12) and a curved enclosure pole(13) with plastic cap on the ground.

Make sure that the straight enclosure pole(12) is oriented so the small holes are in position shown. Slide a foam sleeve(16) onto each of the tubes; note that the ends of the straight enclosure pole(12) should not be covered.

Insert the straight enclosure pole(12) into the curved enclosure pole(13). Tighten a self-tapping screw(11) into the small hole in the poles(12 & 13).

Assemble the remaining straight enclosure pole(12), curved enclosure pole(13), and foam sleeve(16) in the same way.

8. Insert the end of straight enclosure pole(12 & 13) into the hole of T-connector+welded tube(4).

Attach the other three straight enclosure poles(12 & 13) in the same way. See inset drawing.



straight enclosure pole(12)

T-connector+
Welded tube(4)

6



7



8





9. Lay out Top G3 Pole (19), joint each section Connector to a straight line as shown.

Assemble the remaining Top G3 Pole (19) in the same way.

Spread the Netting (15) on the trampoline bed, insert a Top G3 Pole (19) into the opening of Top Sleeve on the Netting (15). Insert the other Top G3 Pole (19) into the opposite opening of Top Sleeve on the Netting (15).

9b

Joint the end of each pole by Clip of Connector



Joint each end of Top G3 Pole (19) by the clip of connector at each opening. The Top Sleeve of the Netting (15) become a round shape.

10. Attach the first hanging point at the upper edge of the netting(15) with the rod to the plastic cap(14) of curved enclosure pole(13). Attach a second hanging point directly across the netting(15) from the first hanging point.

Attach the other two hanging point halfway between the first two hanging points, so six hanging points are attached as shown.

Attached Hanging Point:



9



Spread out G3 Pole and Joint each section to one straight line.

9a



Insert the pole into sleeve of the Netting(15)

10.



See inset drawing for attached of rod:

Plastic cap(14) has been attached to the top of the curved enclosure pole(13).

11.Note: During steps 11 and 12, you will "sew"the lower edge of the Netting(15) to the V-rings on the bed using the Cords(18).

Locate the V-ring closest to the door. Thread one end of a Cord(18)through the lower edge of the Netting(15)above the V-ring and then thread the Cord through the V-ring. Tie the Netting to the V-ring, by making a double knot in the Cord.

12.Thread the Cord(18) through the lower edge of the Netting(15) halfway between the first V-ring and the V-ring to the left, and then thread the Cord through the V-ring to the left. Repeat this procedure until the entire Cord is threaded through the Netting and the V-rings as shown. Keep the Cord tight. Tie the end of the Cord to the last V-ring that it reaches.

Tie a second Cord(not shown)to the last V-ring reached by the first Cord. Thread the second Cord through the Netting(15) and the V-ring as described above. Repeat this procedure with the remaining Cords until the last Cord reaches the first Cord. (Note: The last Cord may overlap the first Cord.) Make sure that the Netting is sewn to every V-ring on the trampoline bed; the Netting below the door must also be sewn to the V-rings.

13. The trampoline/enclosure is now fully assembled. Make sure that all parts are securely attached. Familiarize yourself and all users of the trampoline/enclosure with the safety precautions, use and instructional materials, and care and maintenance instructions in this manual before using .



DISASSEMBLY

To disassemble the trampoline/enclosure, follow assembly steps 1 through 13 in reverse order. Do not attempt to disassemble any trampoline frame components before the springs and the bed have been removed. Use gloves to protect your hands from pinch points during disassembly.

CARE AND MAINTENANCE

CARE

Do not allow pets or animals on the trampoline or inside the enclosure, as claws may snag and pull the bed material or damage the frame pad or netting.

The trampoline/enclosure is intended to be used by one person at a time weighing 90 kg (200lbs.) or less. The user should be either barefoot, or wearing gymnastic shoes.
Street shoes or tennis shoes should not be worn on the trampoline. The user should remove all sharp objects from his or her person that may cause injury or damage to the bed. Heavy, sharp, or pointed hard objects should not contact the bed.
Appropriate shoes should be worn inside the enclosure to reduce wear to the bed.

MAINTENANCE

Your trampoline is manufactured using quality materials and crafted to provide you and your family with many years of enjoyment and exercise. Proper maintenance and care will help to prolong the life of the trampoline and reduce the possibility of injury.

Prolonged exposure to the sun, especially ultraviolet rays, will shorten the life of the enclosure fabric. For longer fabric life, store the enclosure when it is not being used. A dry enclosure, properly stored, will provide the longest life of the fabric, sewing, and hardware. Remove the enclosure from the trampoline during harsh weather conditions or during long periods of non-use.

The following guidelines should always be observed.

Inspect the trampoline/enclosure before each use, and replace any worn, defective, or missing parts. The following conditions could represent potential hazards and increase the danger of personal injury:

- a missing, improperly positioned, or insecurely attached frame pad, netting, enclosure tubes , foam sleeves
- punctures, frays, tears, or holes worn in the bed, frame pad, netting, foam sleeves.
- deterioration in the stitching or fabric of the bed, frame pad, netting
- ruptured or missing springs
- a bent or broken frame, leg, enclosure tubes
- a sagging bed, netting
- sharp protrusions on the frame, suspension system, enclosure tubes

If any of these conditions exists, the trampoline should be disassembled or otherwise protected against use until the condition is remedied.

REMOVING AND STORING THE TRAMPOLINE/ ENCLOSURE

Make sure that the trampoline/enclosure is dry before removing and storing it. Use caution while removing the tubes due to the weight of the tubes.

Once the enclosure is removed from the trampoline, remove all items from the trampoline bed. Make sure that the bed is clean and that it has no tears or holes. Store the trampoline/enclosure in a safe, dry location.

SPECIAL CONSIDERATIONS

High Wind



It is possible for the trampoline/enclosure to be blown about by high wind. If you anticipate high winds, the trampoline/enclosure should be moved to a sheltered location, disassembled, or tied down to the ground with ropes and stakes (not included). At least three ropes and three stakes should be used. The tops of the stakes should be at ground level so that they will not create a tripping hazard. In addition, the tops of the stakes should be covered, if necessary, so that users will not be injured by falling onto the stakes. Make sure to attach the ropes to the top of the frame; do not simply secure the legs or the bases to the ground, as they can separate from the frame sockets.

Moving the Trampoline

If the trampoline/enclosure needs to be moved, it should be moved by two persons, kept horizontal, and lifted slightly. If necessary, the trampoline/enclosure can be disassembled for moving.

To disassemble the trampoline/enclosure, follow the assembly steps in reverse order (see pages 15 to 20).
Do not attempt to disassemble the frame sections, legs, or bases before the bed and springs have been removed.

EXPLODED DRAWING AND PART LIST



Trampoline Assembly Parts Listing

Key No.	Qty.	Description
1	6	Top Tube(With T-connector)
2	6	Top Tube(With T-connector+Welded tube)
3	6	T-connector
4	6	T-connector+Welded tube
5	12	Leg Extension
6	6	W leg
7	1	Stitched Bed with V-ring
8	1	Frame pad
9	72	5.5” Length Springs
10	1	Set of User’s Manual and placards
11	6	Self-tapping Screw

Enclosure Assembly Parts Listing

Key No.	Qty.	Description
12	6	Straight enclosure pole
13	6	Curved enclosure pole
14	6	Plastic Cap (This part has been attached to the top of the Top tube(13).)
15	1	Netting with attached Hardware
16	12	Foam Sleeve
17	1	Spring Pulling Tool
18*	8	Ropes
19	2	G3 Pole (Black)

*This part is not illustrated.
Specifications are subject to change without notice.

ORDERING REPLACEMENT PARTS

To order replacement parts, visit our websites at www.jumpking.com or call our customer hotline (1-877-927-8777).
To help us assist you, please provide the following information when calling:

- the MODEL of the trampoline/enclosure
- the KEY NUMBER and DESCRIPTION of the part (see the PART LIST above)
- the quantity needed